

				MC70LVM	
Sound pressure level	Air purifying operation		High	dBA	39.0
			Turbo	dBA	48.0
			Medium	dBA	32.0
			Low	dBA	24.0
			Silent	dBA	16.0
Standard Accessories	Item			Wireless remote control	
	Quantity			1	
	Item			Photocatalytic pleated Filter	
	Quantity			5	
	Item			Operation manual	
	Quantity			1	
Sound power level	Air purifying operation		High	dBA	54
			Low	dBA	39
			Turbo	dBA	63
			Silent	dBA	31
			Medium	dBA	47
Safety devices	Item		01	Safety switch (operation stops when the front panel opens)	
Air filter	Type			Polypropylene net	
Dimensions	Packed unit	Width	mm	445	
		Height	mm	615	
		Depth	mm	280	
	Unit	Width	mm	403	
		Depth	mm	241	
		Height	mm	576	
Casing	Colour			White	
Applicable room area	m ²			46	
Fan motor	Speed		Drive	Direct drive	
Weight	Packed unit		kg	11	
	Unit		kg	8.5	
Fan	Air flow rate	Air purifying operation	Turbo	m ³ /h	420
			High	m ³ /h	285
			Silent	m ³ /h	55
			Low	m ³ /h	130
			Medium	m ³ /h	210
	Type			Multi Blade Fan (Sirocco fan with shroud assembly)	
Sign	Item		01	Dust: 3 stages	

			02	Odour: 3 stages
			03	Automatic operation (LL-H)
			04	Airflow rate (LL/L/M/H)
			05	Turbo mode (HH)
			06	Anti-pollen mode
			07	Sleep mode
			08	Lock (Anti-tamper)
			09	Off timer (1.2.4h)
			10	Maintenance: Filter replacement
			11	Maintenance: Cleaning of ionization/streamer
Air purifying operation	Power input	Turbo	kW	0.065
		Silent	kW	0.007
		L	kW	0.010
		H	kW	0.026
		M	kW	0.016
Deodorizing method				Flash streamer, Titanium apatite photocatalytic filter, Deodorising catalyst
Dust collecting method				Plasma ionizer, Electrostatic dust collection filter
Template				Air Purifier
Bacteria filtering method				Flash streamer, Titanium apatite photocatalytic filter
Running current	Air purifying operation	Low	A	0.10
		High	A	0.25
		Turbo	A	0.55
		Medium	A	0.15
		Silent	A	0.08
Power supply	Frequency		Hz	50/60
	Voltage		V	220-240/220-230
	Phase			1~
Notes				Sound power levels are the average of values measured at 1m away from the front, left, right and top of the unit (this is equal to the value in an anechoic chamber).
				Panel color: white; Display part color: silver
Power cord	m			2.0