



←
ARROW VIEW A








Item	Name	Description
KA	Liquid pipe connection port	Ø9.52 flared connection
KB	Gas pipe connection port	Ø15.90 flared connection
KC	Wiring connection	/
KD	Power supply connection	/
KE	Drain outlet	VP20 (OD Ø26, ID Ø20)
KF	Air filter	/
KG	Air suction side	/
KH	Air discharge side	/
KJ	Nameplate	/

Notes

1. When installing optional accessories, refer to their respective documentation.
2. The ceiling depth varies according to the documentation of the specific system.

ADEQ100-125C




Item	Name	Description
KA	Liquid pipe connection port	Ø9.52 flared connection
KB	Gas pipe connection port	Ø15.90 flared connection
KC	Wiring connection	/
KD	Power supply connection	/
KE	Drain outlet	VP20 (OD Ø26, ID Ø20)
KF	Air filter	/
KG	Air suction side	/
KH	Air discharge side	/
KJ	Nameplate	/



Notes

1. When installing optional accessories, refer to their respective documentation.
2. The ceiling depth varies according to the documentation of the specific system.

ABQ100-140C



All dimensions are in mm



Model	Dimension																
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	P	Q	
ABQ100C	359	1115	1072	1033	467	378	541	256	180	306	128	170	234	234	798	982	
ABQ125C	359	1369	1326	1287	594	378	541	256	180	306	256	170	234	234	798	1236	
ABQ140C	359	1569	1526	1487	694	378	541	256	180	306	356	170	234	234	789	1436	