


FBQ35-50D

Cooling mode




Notes

- 1 dBA = A-weighted sound power level (A scale according to IEC).
- 2 Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
- 3 Measured according to ISO 3744

FBQ35-50D

Cooling mode




Notes

1. dBA = A-weighted sound power level (A scale according to IEC).
2. Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
3. Measured according to ISO 3744

FBQ60-71D

Cooling mode




Notes

- 1 dBA = A-weighted sound power level (A scale according to IEC).
- 2 Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
- 3 Measured according to ISO 3744

FBQ60-71D

Cooling mode




Notes

1. dBA = A-weighted sound power level (A scale according to IEC).
2. Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
3. Measured according to ISO 3744

FBQ100D

Cooling mode




Notes

- 1 dBA = A-weighted sound power level (A scale according to IEC).
- 2 Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
- 3 Measured according to ISO 3744

FBQ100D

Cooling mode




Notes

1. dBA = A-weighted sound power level (A scale according to IEC).
2. Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
3. Measured according to ISO 3744

FBQ125-140D

Cooling mode




Notes

- 1 dBA = A-weighted sound power level (A scale according to IEC).
- 2 Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
- 3 Measured according to ISO 3744

FBQ125-140D

Cooling mode



Notes

1. dBA = A-weighted sound power level (A scale according to IEC).
2. Reference acoustic intensity 0dB = $10E-6\mu W/m^2$
3. Measured according to ISO 3744